

EAST Search History**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 44 | (gear or pinion).ti. module (number near3 teeth) (pressure adj angle) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 09:41 |
| L3 | 8 | steering rack (gear or pinion) module (number near3 teeth) (pressure adj angle) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 09:53 |
| L4 | 87 | (gear or pinion) module (number near3 teeth) (pressure adj angle) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 10:01 |
| L6 | 11 | ("1790607" "3433501" "3753378" "4116085" "4215591").PN. OR ("4382389").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2010/01/30 10:08 |
| L7 | 1 | ("5341699").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2010/01/30 12:12 |
| L8 | 19 | rack (pinion with (helix pressure)) steering | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 12:17 |
| L9 | 23 | pinion with ((helix adj angle) (pressure adj angle) (number near3 teeth)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 12:30 |
| L10 | 114 | gear with ((helix adj angle) (pressure adj angle) (number near3 teeth)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 12:34 |

| | | | | | | |
|-----|----|---|--|-----|----|---------------------|
| L11 | 19 | (pinion or gear) (trochoid\$2 adj interference) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 13:05 |
| L12 | 42 | (pinion or gear) (interference adj clearance) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 13:10 |
| L15 | 74 | (rack with pinion) (profile adj shift\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/30 14:09 |
| S47 | 52 | (US-20080223163-\$ or US-20070272471-\$ or US-20070205041-\$ or US-20020020578-\$ or US-20070227279-\$ or US-20040045387-\$ or US-20060122027-\$ or US-20080282827-\$ or US-20070170787-\$ or US-20050172744-\$ or US-20050139026-\$ or US-20030213641-\$ or US-20090049942-\$). did. or (US-6622814-\$ or US-6976556-\$ or US- 6543569-\$ or US- 7441626-\$ or US- 6390230-\$ or US- 4382389-\$ or US- 4222282-\$ or US- 4189955-\$ or US- RE28740-\$ or US- 5860323-\$ or US- 6023989-\$ or US- 4011764-\$ or US- 4602521-\$ or US- 3753378-\$ or US- 5720584-\$ or US- 5036417-\$ or US- 6112611-\$ or US- 6080199-\$ or US- 6205879-\$ or US- 5341699-\$ or US- 6571655-\$ or US- 6276226-\$ or US- 5485761-\$ or US- 4703670-\$ or US- | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | ON | 2010/01/16 17:29 |

| | | | | | | |
|-----|-------|--|--|-----|----|------------------|
| | | 4651588-\$ or US-4294132-\$).did. or (US-4036073-\$ or US-6925902-\$ or US-6892605-\$ or US-6834742-\$ or US-7520366-\$).did. or (US-3500700-\$ or US-3572151-\$ or US-3269205-\$).did. or (WO-2005068878-\$ or EP-1731799-\$ or EP-271844-\$ or WO-2005056367-\$).did. or (JP-2005199776-\$).did. | | | | |
| S48 | 11 | S47 module (number near3 teeth) (tooth near3 depth) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 17:31 |
| S49 | 28650 | (power adj steering) or (rack near5 pinion) module (number near3 teeth) (tooth near3 depth) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 17:39 |
| S50 | 5 | (power adj steering).ti. module (number near3 teeth) (tooth near3 depth) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 17:39 |
| S51 | 8 | (power adj steering) module (number near3 teeth) (tooth near3 depth) (helix adj angle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 17:56 |
| S52 | 35 | S47 module | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 17:57 |
| S54 | 7 | (power adj steering) module teeth depth angle trochoid | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:09 |

| | | | | | | |
|-----|-----|---|--|-----|-----|------------------|
| S55 | 43 | (power adj steering) module teeth depth angle | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:10 |
| S56 | 277 | (rack with pinion) module teeth depth angle | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:15 |
| S57 | 83 | (power adj steering) trochoid | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:24 |
| S58 | 7 | ((power adj steering) or (rack near3 pinion)) (trochoid adj interference) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:31 |
| S59 | 16 | gear (trochoid adj interference) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/16 18:32 |
| S60 | 19 | gear (trochoid\$2 adj interference) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/18 20:52 |
| S61 | 986 | (180/443).COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2010/01/18 20:54 |
| S62 | 881 | (180/444).COLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | OFF | 2010/01/18 20:54 |
| S63 | 44 | (S61 or S62) module number angle | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/18 20:55 |

| | | | | | | |
|-----|------|---|--|-----|----|---------------------|
| S64 | 5309 | (electric power steering).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/18 21:05 |
| S65 | 79 | S64 module | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/18 21:05 |
| S66 | 5 | ("20020166716" "20050096813" "5699248" "6008599" "6450287").PN. OR ("7604088").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2010/01/18 21:14 |
| S67 | 30 | pinion with trochoid | US-PGPUB; USPAT; USOCR | AND | ON | 2010/01/18 21:29 |
| S68 | 56 | (US-20080223163-\$ or US-20070272471-\$ or US-20070205041-\$ or US-20020020578-\$ or US-20070227279-\$ or US-20040045387-\$ or US-20060122027-\$ or US-20080282827-\$ or US-20070170787-\$ or US-20050172744-\$ or US-20050139026-\$ or US-20030213641-\$ or US-20090049942-\$). did. or (US-6622814-\$ or US-6976556-\$ or US- 6543569-\$ or US- 7441626-\$ or US- 6390230-\$ or US- 4382389-\$ or US- 4222282-\$ or US- 4189955-\$ or US- RE28740-\$ or US- 5860323-\$ or US- 6023989-\$ or US- 4011764-\$ or US- 4602521-\$ or US- 3753378-\$ or US- 5720584-\$ or US- 5036417-\$ or US- 6112611-\$ or US- 6080199-\$ or US- 6205879-\$ or US- 5341699-\$ or US- | US-PGPUB; USPAT; USOCR; EPO; JPO | AND | ON | 2010/01/18 21:34 |

| | | | | | | |
|-----|-----|---|--|-----|----|---------------------|
| | | 6571655-\$ or US- 6276226-\$ or US- 5485761-\$ or US- 4703670-\$ or US- 4651588-\$ or US- 4294132-\$).did. or (US- 4036073-\$ or US- 6925902-\$ or US- 6892605-\$ or US- 6834742-\$ or US- 7520366-\$ or US- 7600602-\$ or US- 6343522-\$ or US- 7604088-\$ or US- 6026925-\$).did. or (US- 3500700-\$ or US- 3572151-\$ or US- 3269205-\$).did. or (WO-2005068878-\$ or EP-1731799-\$ or EP- 271844-\$ or WO- 2005056367-\$).did. or (JP-2005199776-\$). did. | | | | |
| S69 | 39 | S68 module | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/18 21:35 |
| S70 | 9 | ("4276785" "5083474" "5341699" "5485761").PN. OR ("6080199").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2010/01/18 21:42 |
| S71 | 118 | (rack near3 pinion) with interference | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/25 14:29 |
| S72 | 60 | (rack near3 pinion) trochoid | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | AND | ON | 2010/01/25 14:54 |

1/30/2010 2:54:58 PM

C:\ Documents and Settings\ mjohnson\ My Documents\ EAST\ Workspaces\ 10585759
Rack and Pinion.wsp